

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

1. (Currently Amended) A box for transporting hot food, the box having a top, a bottom an inside and an outside, and adapted to house the hot food while maintaining a portion off of the bottom of the box, the box comprising:

a plurality of ribs, secured to a plurality of bases,

at least ~~1~~ one of said plurality of bases is adhered to the bottom of the box,

the plurality of ribs are selectively moveable between a storage position and a support position, the storage position being substantially flat relative to said bottom and said support position configured to maintain a portion of the hot food off of the bottom of the box but below the top of the box and being substantially perpendicular relative to said bottom;

~~a connector coupled to~~ integral with at least one of said plurality of ribs and configured to extend from the inside of the box to the outside of the box, wherein the connector is configured to simultaneously move the plurality of ribs between the storage position and the support position; and to prevent the ribs from moving back to the storage position by mating with the box.
2. (Original) The pizza box according to Claim 1 wherein the top of the box includes tabs extending from the top wherein at least one of the tabs has a cut out portion coinciding with said connector.

3. (Original) The pizza box according to Claim 1 further having at least one side, wherein the one side has a slit therein and wherein the connector is configured to extend through the slit.
4. (Original) The pizza box according to Claim 1 further having at least a front side, wherein the front side has a slit therein and wherein the connector is configured to extend through the slit.
5. (Canceled)
6. (Canceled)
7. (Canceled)
8. (Original) The pizza box according to Claim 1 wherein the plurality of ribs have a top portion, and wherein the connector is connected to the plurality of ribs at the top portion.
9. (Canceled)
10. (Original) The pizza box according to Claim 1 wherein at least two of said plurality of ribs are connected together.
11. (Original) The pizza box according to Claim 1 wherein at least two of said plurality of bases are connected together.
12. (Currently Amended) A method of supporting a pizza in a pizza box comprising: connecting a plurality of ribs to a bottom of the box; wherein at least one of the plurality of ribs ~~are coupled to~~ is integral with a common connector; simultaneously moving the plurality of ribs with the common connector from a substantially flat position relative to the bottom to a substantially perpendicular position relative to said bottom, ~~and~~

pulling the common connector to an outside portion of the box and locking the common connector against an outside of the box; and,
supporting an item of food directly on the ribs and below a top of the box.

13. (Original) The method according to Claim 10 wherein the outside portion of the box includes a front of the box.

14. (Canceled)

15. (Canceled)

16. (Canceled)

17. (Original) Apparatus for supporting hot food in a delivery box having a top a bottom and a plurality of walls, said apparatus comprising:
a blank of material, configured to be adhered to the bottom of the box, having a plurality of horizontal and vertical cuts therein;
wherein the horizontal cuts form a plurality of rib/base pairs and the vertical cuts form a pull tab coupled to the plurality of rib/base pairs only by the ribs;
wherein at least two of the horizontal cuts partially separate at least two of the ribs from at least two of the bases;
wherein the pull tab is configured to mate with the box after it is pulled; and,
wherein the pull tab is configured to simultaneously rotate at least two of the ribs from a substantially flat position to a substantially perpendicular position.